ಶ್ರೀ ಮಾಲ ಮರಿಯಪ್ಪ.—ನುಮಾರು ಎಷ್ಟು ಎಕರೆ ಅಚ್ಚುಕಟ್ಟಾಗುತ್ತದೆ ?

ಶ್ರೀ ಎಚ್. ಎಂ. ಚನ್ನಬಸಪ್ಪ.—ಒಂದು ಸಾವಿರ ಎಕರೆ.

ಶ್ರೀ ಮಾಲ ಮರಿಯಪ್ಪ.—ಈಗ ನುಮಾರು ನಾಲ್ಕು ವರ್ಷಗಳಿಂದ ಆ ಕಡೆಯ ರೈತರು ಇದು ಅಗತ್ಯವಾಗಿ ಆಗಬೇಕೆಂದು ಆಗಾಗ್ಗೆ ಕೇಳುತ್ತಿದ್ದಾರಲ್ಲವೇ ?

ಶ್ರೀ ಎಚ್. ಎಂ. ಚನ್ನಬಸಪ್ಪ.—ಆಗಬೇಕೆಂದು ಒತ್ತಾಯಮಾಡುತ್ತಿರುವುದು ನಿಜ.

ಶ್ರೀ ಮಾಲ ಮರಿಯಪ್ಪ.—ಇದನ್ನು ಬಹಳ ಹೆಚ್ಚಿನ ಮಟ್ಟದ್ದಾಗಿರುವುದರಿಂದ ಎರಡನೆಯ ಪಂಚವಾರ್ಷಿಕ ಯೋಜನೆಯಲ್ಲಿ ಸೇರಿಸಲು ಅನಿವಾರ್ಯವೇನಿತ್ತು ?

ಶ್ರೀ ಎಚ್. ಎಂ. ಚನ್ನಬಸಪ್ಪ.—ಎರಡುಮೂರು ಅನಿವಾರ್ಯವಿದೆ. ಒಂದು ಇದಕ್ಕಿಂತಲೂ ಕೂಡ ಇನ್ನೂ ಹೆಚ್ಚು ಪ್ರಯಾರಿಟಿಯಿರುವ ಕೆಲಸಗಳನ್ನು ದೃಷ್ಟಿಯಲ್ಲಿಟ್ಟಿರುವುದು, ಇನ್ನೊಂದು ಟಾರ್ಜೆಟ್ ಸಿಗದಿ ಆಗದಿರುವುದು ಮತ್ತು ಮೂರನೆಯದು ನದಿಯಲ್ಲಿ 60 ಕ್ಯೂಸೆಕ್ಸ್ ನೀರು ಬಂದರೆ ಸಾಧ್ಯ, ಇಲ್ಲದಿದ್ದರೆ ಸಾಧ್ಯವೆಲ್ಲ ಎಂಬುದು. ಇಷ್ಟು ನೀರು ಬರುತ್ತದೆಯೇ, ಇಲ್ಲವೇ ಎಂದು ಒಂದು ವರ್ಷ ಕಾದುನೋಡಿ ಪರಿಶೀಲಿಸಿ ಮುಂಜೂರುಮಾಡಬೇಕು.

ಶ್ರೀ ಮಾಲ ಮರಿಯಪ್ಪ.—60 ಕ್ಯೂಸೆಕ್ಸ್‌ಗಿಂತ ಕಡಮೆ ಬಂದರೆ ಕೃಪಾಸಿಟಿ ಕಡಮೆಮಾಡಿ ಕಟ್ಟಬಹುದಲ್ಲವೇ ?

ಶ್ರೀ ಎಚ್. ಎಂ. ಚನ್ನಬಸಪ್ಪ.—ಅದನ್ನು ಪರಿಶೀಲಿಸಬಹುದು.

ಶ್ರೀ ಮಾಲ ಮರಿಯಪ್ಪ.—ತಾವು ಹೇಳಿದ ಇನ್ನೊಂದು ಅನಿವಾರ್ಯ ರೈತರು ಹೆಚ್ಚು ಕಾಂಟ್ರಿಬ್ಯೂಷನ್ ಕೊಡಬೇಕೆಂದು. ಅದಕ್ಕೆ ಸಿದ್ಧವಾಗಿದ್ದರೆ ಪರಿಶೀಲಿಸುತ್ತೀರಾ ?

ಶ್ರೀ ಎಚ್. ಎಂ. ಚನ್ನಬಸಪ್ಪ.—ಅಗತ್ಯವಾಗಿ ಆಗಬಹುದು.

Honnemaradu Hydro-Electric Project.

Q.—36. **Sri A. V. NARASIMHA REDDY** (Bangalore South).—

Will the Government be pleased to state :—

(*a*) whether they have taken up the construction of the Hydro-Electric Project at Honnemaradu ;

(*b*) (*i*) whether an estimate is prepared for the same ;

(*ii*) if the answer is in the affirmative, the total cost of the estimate and the time required for construction ?

A.—**Sri H. M. CHANNABASAPPA** (Minister for Industries).—

(*a*) Preliminary work on the project has been started.

(*b*) (*i*) Yes.

(*ii*) Rs. 3,945 lakhs. The first stage of the project with one unit of 71,000 K.W. is expected to be completed by the close of the Second Five-Year Plan. No date can now be set for the completion of the whole scheme.

Sri A. V. NARASIMHA REDDY.—What is the cost that you will have to incur at the first stage of the implementation of this project ?

***Sri H. M. CHANNABASAPPA.**—Rs. 22·97 crores.

Sri A. V. NARASIMHA REDDY.—In view of the acute shortage of power in the State, will the Government expedite this matter and see that the first stage of the project is completed within two years ?

Sri H. M. CHANNABASAPPA.—It is an impossibility.

Sri A. V. NARASIMHA REDDY.—What are the difficulties in the way ?

Sri H. M. CHANNABASAPPA.—To spend Rs. 22·97 crores within five years means spending at least Rs. 1¼ lakhs per day within six hours. You can yourself calculate the amount of money that will have to be spent within a day, if the first stage is to be completed in two years.

Sri A. V. NARASIMHA REDDY.—When was this estimate finalised ?

Sri H. M. CHANNABASAPPA.—The estimate was finalised and included in the Second Five-Year Plan.

Sri A. V. NARASIMHA REDDY.—Why was it not included even at the closure of the First Five-Year Plan ?

Sri H. M. CHANNABASAPPA.—Until it was approved by the Planning Commission, we could not take up the works.

Sri A. V. NARASIMHA REDDY.—When was it approved ?

Sri H. M. CHANNABASAPPA.—Very recently.

Sri A. V. NARASIMHA REDDY.—Has not the Central Planning Commission advanced some loan for some of the electric projects in the State previously during the First Five-Year Plan ?

Sri H. M. CHANNABASAPPA.—Not for this project anyway.

Sri M. PALANIYAPPAN.—Have you got money to complete the first stage within five years ?